

H.P. Forest Department INTEGRATED DEVELOPMENT PROJECT (HPIDP)

For

Source Sustainability And Climate Resilient Rain-fed Agriculture Tank Road, Solan-173212

Phone: 01792-225773), 01792-225773 (FAX), email- dpoidpsolan@gmail.com

No: 543

Dated 10/09/2024

Subject:

Call for proposals/applications from Group Beneficiaries

Type of Grant:

Grants for Group Beneficiaries

Himachal Pradesh Integrated Development Project (HPIDP) has received a Grant from the World Bank and is inviting a request from eligible Group beneficiaries from various Gram Panchyats under HPIDP (hereinafter called "Applicant") for submission of application for only those items as per list attached to avail assistance under the Matching Grant Scheme. The eligibility criteria, application Form etc are attached as per annexure. Applicant should send their applications to respective Assistant Project Officers (APO), HPIDP, viz. Ramshar, Dharmpur and Kandaghat or to DPO Solan as per schedule below:

Sr. No.	Particulars	Date
1	Submission start date of Application	10 th September, 2024
2	Last Date for submission of application	10 th October, 2024
3	Scrutiny of eligibility and forwarding application to District Project Officer, Solan, HPIDP	25 th October, 2024
4	Technical and Financial assessment, Prioritization and budgeting, Announcement of Awardees	10 th November, 2024
5 '	Execution of Grant agreement and Grant distribution	25 th November, 2024
6	Procurement of items, submission of bills	15th December, 2024
7	Verification of asset, Receipt of Utilization Certificate (UC), Preparation of Grant Closure Report (GCR)	30 th December, 2024

Soral

(Sanjeev Kumar, HPFS), District Project Officer, Integrated Development Project, Solan, Distt. Solan (H.P.) 173212 Phone: 01792-225773

dpoidpsolan@gmail.com, www.hpidp.org

ELIGIBILITY CRITERIA FOR PARTICIPATING GROUPS

- To be eligible for consideration for receiving MG, WUGs/PGs would have to meet the following criteria:
- Groups should be either formed or strengthened under the Project. Consideration will also be given to high potential groups not formed under the project, but which are operational in the project area, if the grant objective aligns with the PDO.
- It should be functional, as certified by the local facilitating team (comprising frontline staff)
- It should have at least 5 active members (not more than one member from any household
- Well-functioning WUGs/ PGs will be considered for grants even if they have received similar grants from other sources previously
- It should have an Aadhaar-linked bank account in a public sector bank, in the name of the WUG/PG with two/ three signatories. In case appropriate banking facilities are not available in the Panchayat area, the account maybe opened with any other bank operating in nearby area, with prior approval from the concerned DPO.
- Each WUG will deposit in its own account an upfront share of 5% of the total cost of the assets towards O&M. In addition, groups will also contribute to the GP-level OMIF account, equivalent to 1% of the total cost of asset/ works granted.
- Group will submit a Business plan with detailed costing and specifications for the use of grant money.
- New applicants with strong proposals but who have not received any support will be preferred.
- It may be noted that application does not guarantee receipt of grant there will be a process of evaluation and prioritization of applications before grantees are announced.

CRITERIA FOR PRIORITIZATION OF APPLICATIONS FROM GROUPS, WUG/PGs

- 1. Women's groups or groups led by women
- 2. Predominantly vulnerable HH members (> 70%).
- 3. Groups with members' land in contiguous patch
- 4. More members having contributed upfront
- 5. Clarity of costs, benefits and cost-sharing norms among users, and between WUG and IDP
- 6. Applications with plans which are better aligned with the project objectives
- 7. Implementable in a shorter time span (6 months to 1 year receive highest priority).

CONTACT DETAILS OF OFFICIALS / OFFICERS FOR CLARIFICATION

- 1. Assistant Project Officer, Ramshar 9805121627
- 2. Assistant Project Officer, Kandaghat 7018243989
- 3. Assistant Project Officer, Dharmpur 7018243989
- 4. District Project Officer, Solan 01792225773, 01792292173

LIST OF ELIGIBLE ITEMS / WORKS, INDICATIVE PRICE LIST (IPL) AND PROJECT SHARE/ CONTRIBUTION

Sr. No	Name of Goods/Items (Specification	Specification Specification			
	attached)		Rate in Figure	Project s	share
A. Irri	gation Support (Sprinkle, Drip, Pipes & P	Pumps etc.)		Vulnerable	Others
1.	Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for normal spaced crops Coverage area: 1 bighaSpacing: 2.5 m x 0.6 m (Lateral x Dripper)	35000	80	80
2.	Drip irrigation system	Type: Drip irrigation system with all fittings & accessories for close spaced crops Coverage area: 1 bigha Spacing : 1.2 m x 0.6 m (Lateral x Dripper)	55000	80	80
3.	Sprinkler irrigation system	Type: Sprinkler set for portable sprinkler irrigation system Coverage area: 1 bigha	22000	80	80
4.	HDPE Pipes for irrigation Size : 20 mm	Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigh	7000	80	80
5.	HDPE Pipes for irrigation 90 mm	Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha	43000	80	80
6.	HDPE Pipes for irrigation 110 mm	Type: High Density Polyethylene (HDPE) Irrigation Pipes Coverage area: 1 bigha	67000	80	80
B Agri	culture tools & equipments/ machines (Au	itomatic/Semi automatic			
1.	Power Tiller (below 8 BHP)	Type: Below 8 HP with cage wheel, standard tools and accessories.	87000	50	40
2.	Power Weeder (Below 2BHP)	Type: Self Propelled Engine operated Power Weeder, Power Source: Below 1 HP. Fuel: Petrol/Diesel	25000	50	40
3.	Power Weeder (Below 2BHP)	Type: Self Propelled Engine operated Power Weeder., Power Source: Above 2 HP to 5 HP. Fuel: Petrol/Diesel	54000	50	40
4.	Reaper-cum-binder	Type: A reaper binder attached with 7 hp diesel engines suitable for harvesting wheat and rice. Working capacity: 6 katha / hour and cutting width.	147000	50)	40
5.	Disc/ MB Plough	No. of plough bottoms: 2 - 4 Length (mm):1778-2392, Width (mm): 889-1194. Height(mm): 1092-1092, Weight (kg): 253-386 Capacity (ha/day): 1.5-2.0 Power requirement(hp/kW): 30-40 /22.5-30, tractor	40000	50	40

6.	Cultivator	Shovel type cultivator Number of tynes: 7-11 Cutting width(mm): 1500-2400 Cutting depth (mm): 175-225 Weight(kg): 127-350 Power requirement (hp/kW): 25-60/18.75-45, tractor	50000	50	40
7.	Harrow	Number of Disc -12 Implement power 35 HP Cutting Width (MM) 1100 Total Weight (Kg) 440	42000	50	40
8.	Leveller Blade	Length (mm) 1840, Width (mm) 700, Height (mm) 700, Size of Blade (mm) -Length 1830 -Width 75 -Thickness 8 - Weight (kg) 90 Power requirement (hp/kW): 35/26.25, tracto	30000	50	40
9.	Furrow Opener	Overall dimensions 2020x 2050 x 1100 mm ii. Weight 370 kg iii. No. of furrows 2 iv. Row and hill spacing Adjustable Capacity, ha/day 3.2	27000	50	40
10.	Reversible Mechanical Plough	Length (mm) Working Width (mm) Weight (kg) Plough bottom Working Depth Under frame Clearance Inter body Clearance Reversing mechanism Speed of operation (km/h) Area covered (ha / h) Field efficiency (%): 320: 609/ 914: 375/ 475: two bottom (two on each side)/ three bottom (Three on each side): 203 mm - 355 mm: 700 mm: 850mm: Hydraulically/ Mechanically operated: 3 to 4: 0.20 to 0.25: 90 Power requirement (hp): 55 & Above	64960	50	40
11.	Chisel Plough	Number of Disc -5, Disc Dia (mm)- 12 Inch , Depth of Cut- 12 Inch, Overall Length- 70 inch, Overall Width -27 inch, Overall Height- 20 inch, Total Approx Weight (kg) -280 kg. Suitable HP Range - 35 HP	60000	50	40
12.	Strip Till Drill	specificationsl_ength (mm) 1960-2310Width (mm) 970-1560Height (mm) 1070-1350Seed metering mechanism - Fluted rollerFertilizer metering mechanism - Gravity Fed With an agitatorPower transmission - Chain and sprocketsFurrow opener - Inverted T -type /reversible shovelNumber of flanges on the rotary - 9-11Number of blades on each flange - 6 Type of blade - C TypeOpening width of blade (mm) - 75Number of furrow opener -9-11Size (diameter), mm and number of flutes - 42.7-49.2 and 9-11Seed box capacity (cm3) - 66241-10308Fertilizer box capacity (cm3) - 63310-10141Ground wheel diameter	75000	50	40
				i.	

13.	Seed Drill	Specifications Length (mm): 1940-2310 Width (mm): 970-1560 Height (mm): 1070-1350 Seed metering mechanism: Fluted roller Fertilizer metering mechanism: Gravity feed with agitator Number of furrow opener: 9-13 Furrow opener: Reversible shovel Size of feed shaft (mm): 16-19 Size (diameter) and number of flutes: 42.7-49.2 and 9-11 Seed box capacity (cm3) - 66241- 10308 Fertilizer box capacity (cm3) - 63310- 10141 Weight (kg) - 224-328 Source of power (hp/kW) - : 35/26.25, tractor	95000	50	40
14.	Multi Crop Planter	Specifications: Length (mm): 970 Width (mm): 2350 Height (mm): 1120 Number of rows in planter attachment - 6 (maximum) Seed metering mechanism: Inclined plate with cell Fertilizer metering: Adjustable opening with agitators Furrow opener: Reversible shovel Seed hopper capacity (kg) : 10-20 for different crops Power transmission : Chain and sprockets and bevel gears Source of power (hp/kW) - 35/26.25, tractor	55000	50	40
15.	Turbo Seeder- Happy Turbo Seeder	Specifications of turbo happy seeder 1. Horse Power Requirement: 45-55 hp tractor with double clutch 2. Capacity, ha/hr.: 0.25-0.35 ha/hr 3. Weight of machine: 500-550 kg 4. Working width of machine: 2.0-2.5 m 5. Row to row distance: 225 mm 6. No. of rows: 9-12 7. Type of Furrow openers: Inverted 'T' type 8. Rotor drum diameter: 750 mm 9. Rotor diameter: 140 mm 10. Window area: 0.200 x 0.450 = 0.09 m 2 (C/s area between two furrow openers) 11. Ground clearance of furrow opener with working PTO: 0.30 m 12. Rotor rpm: 1360 rpm at 540 rpm of tractor PTO 13. Types of flail blades: Reversible straight gamma type 14. Flails length from rotor surface: 240 mm 15. Blade length: 165 mm 16. Bottom width of blade: 85 mm 17. Top width of blade: 50 mm 18. Blade Overlap with furrow openers: 60 mm 19. Horizontal clearance between the edges of the blades: Two nos. with adjustable depths 21. Minimum	150000	50	40

	depth (mm): 80-100, Rotor speed (rpm): 210-240, Capacity (ha/hr): 0.38-0.5, Power Source(hp/kW): 30-65/37.5- 48.75, tractor	47000	50	40
Potato Digger	Power -35-50 HP, Weight 900 KG, Power source Self Propelled Crop Potato, Grain tank capacity 150 KG Power Harvesting	80000	50	40
Tractor Drawn Reaper	Product Type: Tractor Operated Reaper Brand: Made in India Material: Iron Driven by: Tractor Application: Cutting wheat, paddy soyabean etc. Required Power: Tractor of more than 25 HP Fitting Type: Hydraulic Jack Fitting Position: Front Rear Fitting in Tractor Cutting Capacity: 10 to 12 acres per	60000	60000 50	40
Zero Tili Seed Cum Ferunzer Drill	(1+1) Model TypeProduct Type: Seed cum Fertilizer DrillBrand: Made In IndiaDriven by: TractorNo. of Teeth: 11No. of Pipes: 22Row to Row Spacing: 9 InchSowing Depth: 2-6 InchHopper Capacity: 60 Kg Require Tractor: 35 HPWeight: 375	75500	50	40
Ridge Furrow Planter	Specifications: Product Type: Agricultural Ridger Brand: Made in India Furrow: 3-5 Frame: 100 x 100 sq. mm Frame Width: 1800-3000 mm Power: 35-60 HP	35000	50	40
Pneumatic Planter	Specifications: Model: NPP4 NPP6 Rows 4 6 Tractor Required 60-70 HP 90-100 HP Seed Metering Pneumatic Suctioned Vertical Rotating Seed Picking Disc. Fertilizer Metering Fluted Roller Type & Hitching Tractor mounted with 3 Point Linkage Frame Strong and Robust Row Space 24" Standard & Adjustable Drive PTO Driven and Ground wheel Sowing Depth Adjustable (Depth Control Wheels are provided) Furrow Openers Shovels for sowing in tilled /	550000	50	40
Thresher	prepared fields. Output Capacity - 1001 - 2000 kg/hr Power -10-20 HP Speed - Upto 500 RPM Body Material - MS Automation Grade - Semi-Automatic Crop Type - Multi Crop	195000	50	40
	Zero Till Seed Cum Fertilizer Drill Ridge Furrow Planter Pneumatic Planter	Power source Self Propelled Crop Potato, Grain tank capacity 150 KG Power Harvesting Tractor Drawn Reaper Specifications: Product Type: Tractor Operated Reaper Brand: Made in India Material: Iron Driven by: Tractor Application: Cutting wheat, paddy soyabean etc. Required Power: Tractor of more than 25 HP Fitting Type: Hydraulic Jack Fitting Position: Front Rear Fitting in Tractor Cutting Capacity: 10 to 12 acres per day Zero Till Seed Cum Fertilizer Drill Specifications: Model No.: 11 Row (1+1) Model Type/Product Type: Seed cum Fertilizer DrillBrand: Made in IndiaDriven by: TractorNo. of Teeth: 11No. of Pipes: 22Row to Row Spacing: 9 InchSowing Depth: 2-6 InchHopper Capacity: 60 Kg Require Tractor: 35 HPWeight: 375 Kg (Approx.) Specifications: Product Type: Agricultural Ridger Brand: Made in India Furrow: 3-5 Frame: 100 x 100 sq. mm Frame Width: 1800-3000 mm Power: 35-60 HP Pneumatic Planter Specifications: Model: NPP4 NPP6 Rows 4 6 Tractor Required 60-70 HP 90-100 HP Seed Metering Pneumatic Suctioned Vertical Rolating Seed Picking Disc. Fertilizer Metering Fluted Roller Type & Hitching Tractor mounted with 3 Point Linkage Frame Strong and Robust Row Space 24* Standard & Adjustable Drive PTO Driven and Ground wheel Sowing Depth Adjustable (Depth Control Wheels are provided) Furrow Openers Shovels for sowing in tilled / prepared fields. Output Capacity: 1001 - 2000 kg/hr Power: 10-20 HP Speed - Upto 500 RPM Body Material - MS Automation Grade - Semi-Automatic Crop Type - Multi Crop	Power source Self Propelled Crop Potato, Grain tank capacity 150 KG Power Harvesting Specifications: Product Type: Tractor Operated Reaper Brand: Made in India Material: Iron Driven by: Tractor Application: Cutting wheat, paddy soyabean etc. Required Power: Tractor of more than 25 HP Fitting Type: Hydraulie Jack Fitting Position: Front Rear Fitting in Tractor Cutting Capacity: 10 to 12 acres per day Zero Till Seed Cum Fertilizer Drill Specifications: Model No.: 11 Row (1+1) Model TypeProduct Type: Seed cum Fertilizer DrillBrand: Made In IndiaDriven by: TractorNo. of Teeth: 11No. of Pipes: 22Row to Row Spacing: 91 InchSowing Depth: 2-6 InchHopper Capacity: 60 Kg Requirer Tractor: 35 HPWeight: 375 Kg (Approx.) Ridge Furrow Planter Specifications: Product Type: Agricultural Ridger Brand: Made in India Furrow: 3-5 Frame: 100 x 100 x, nmm Frame Width: 1800-3000 mm Power: 35-60 HP Pneumatic Planter Specifications: Model: NPP4 NPP6 Rows 4 6 Tractor Required 60-70 HP 90-100 HP Seed Metering Pneumatic Suctioned Vertical Rotating Seed Picking Disc. Fertilizer Metering Fluted Roller Type & Hitching Tractor mounted with 3 Point Linkage Furme Strong and Robust Row Space 24" Standard & Adjustable Drive PTO Driven and Ground Wade Sowing Depth Adjustable (Depth Control Wheels are provided) Furrow Openers Shovels for sowing in tilled / prepared fields. Output Capacity: 1001 - 2000 kg/hr Power: 10-20 HP Speed - Upto 500 RPM Body Material: AMS Automation Grade: Semi-Automatic Crop Type - Multi Crop	Power source Self Propelled Crop Potato, Grain tank capacity 150 KG Power Harvesting Froduct Type: Tractor Operated Reaper Brand: Made in India Material: Iron Driven by: Tractor Application: Cutting wheat, paddy soyabean etc. Required Power: Tractor of more than 23 HP Fitting Type: Hydraulic Jack Fitting Position: Front Rear Fitting in Tractor Cutting Capacity: 10 to 12 acres per day Zero Till Seed Cum Fertilizer Drill Specifications: Model No.: 11 Row (1+1) Model Type: Seed cum Fertilizer DrillBrand: Made In IndiaTore by: TractorNo. of Teeth: 11No. of Pipes: 22Row to Row Spacing: 9 InchSowing Depth: 2-6 Inchlifopper Capacity: 60 Ks & Require Tractor: 35 HPWeight: 375 Kg (Approx.) Ridge Furrow Planter Specifications: Model: NPP4 NPP6 Rows 4 6 Tractor Required 60-70 HP 90-100 HP Seed Metering Premundic Suctioned Vertical Rotating Seed Picking Disc. Fertilizer Metering Fluted Roller Type & Ritching Tractor mounted with 3 Point Linkage Furne Strong and Robust Row Space Furne Robust Complex Robust Robust Robust Coph Control Wheels are provided Furrow Openers Shovels for sowing in tilled / prepared fields. Unture Capacity - 1001 - 2000 kg/hr Power - 10-20 HP Speced - Upto 500 RPM Body Material - MS Automation Grade - Semi-Automatic Crop Type - Multi Crop

1.	Mini Rice Mill	Production Capacity - upto 100 kg/hr Motor power - 1-3 HP Power Consumption - 2.2 - 3 KW Electricity Connection - Single Phase Operation Mode - Automatic Material of Construction - MS Power - 2 Kwh Warranty - 1 to 6 months Voltage - 220 V Electricity Connection - Single Phase Weight - 84kg with motor Operating Speed - 2880 rpm Material -	30000	60	50
2.	Mini Dal Mill	Polishing Capacity - 101-400 Kg/Hr Automation Grade - Manual Pulses Type - Masoor, Toor, Chana, All Kinds, Moong Production Capacity - 0-0.5 Ton/Hour Motor Type - Single phase Power - 1-3 HP	18000	60	50
3.	Oil Mill with filter press (for all types of horticulture/ food grain/oilseed crops)	Machine Type - Cold Press Capacity - 20 Kg/Hr Power - 3 HP Operation Type - Semi-Automatic Voltage - 220V Material - MS Power Source - Electric Surface Finish - Color Coated Phase - Three Phase Motor Power - 4 HP Frequency - 50 Hz Corrosion Resistance - Yes	160000	60	50
4.	Extractor (for all types of horticulture/ food grain/oil seed crops)	Extractor Capacity-1000L Motor Rating-5 Phase-3 Phase Material-SS Automation Grade-Semi-Automatic Usage/Application-Industrial Contact Parts Material-Stainless steel Frame Material-SS Voltage Supply-410 Weight-150kg Dimension-100X100X150	134000	60	50 .
5.	Pomegranate Aril Extractor	Pomegranate aril extractor Capacity - 40-60 Tons Application - Industrial Material - SS Minimum Order Quantity - 1 Piece	30000	60	50
6.	Dehydration unit/Pricking Machine/Humidifier (for all types of Horticulture/Food grain/oilseed crops)	Dehydration unitAutomation Grade - AutomaticCapacity - 450 KgPower Consumption - 3KWVoltage - 240VNo. of Tray- 6Max Temperature - 240 degree celciusPhase -Single PhasePricking machine Phase - Single PhaseVoltage - 230VFrequency - 50/60Workspace - 8 to 45 mmDimension L x W x H (mm) - 290 x 150 x 330Mass - 8 kgHumidifier Usage/Application - Industrial UseModel Type - MCS- UH-3.0Material -FRP	250000	60	50

7.	Packing Machines (for all types of horticulture/ food grain/oilseed crops)	Driven Type - Mechanical Machine Power - 1-2 HP Pouch Length - 2"-4" Frequency - 50 hz Voltage - 420 V Weight - 300 kg Filing Type - cup filler Size/Dimension - L-75 inchxH-85 inchxW-36 inch Material - Multi grain Seed	150000	60	50
8.	All types of Boiler/Steamer / Drier (for all types of horticulture/ food grain/ oilseed crops)	Boiler Capacity - 100 ltr. Material - Stainless steel Automation Grade -Semi-Automatic Color - x Color Power - 200 V Weight - 80-90 kg. Voltage - 240 V Frequency - 50Hz Power Source - Electric Body Material - Stainless Steel Steamer Shape - Round Capacity - 15 L to 250 L With Lid Features - Quick Making Foods Finishing - Polished Automation Grade - Semi-Automatic Material - SS Drier Type - Batch Type Design - Electric Tray Type Capacity - 10 to 4000 kG Number of Trays - 1000 max	200000	60	50
9.	All types of Washing Machines (for all types of horticulture/ food grain/ oilseed crops)	Loading Type - Front Loading Capacity - 50 Kg Water Consumption-65 L Voltage- AC 240 V Phase-Three Phase Frequency-60 Hz Inner & Outer Drum Body Material- 304 Stainless Steel Inside Basket-30x48 inch Outside Basket-36x53 inch Inlet Water Valve-1.5 inch Outlet Water Valve-2 inch Machine Size-36x80x48 inch Machine Weight-550 Kg Extractor Motor Power-2 HP	550000	60	50

10.	All types of Grinder/ Pulveriser/ Polisher (for all types of horticulture/ food grain/ oilseed crops)	Capacity - 50 Kg/h Usage/Application - Commercial Voltage - 220 V Material- SS Automation Grade - Semi-Automatic Motor - 2 Year Frequency - 3 HP Speed - 50 Hz Phase - Single Phase/3 Phase	250000	60	50
	All types of Cleaner-cum- Grader/Gradient separator/specific gravity separator (for all types of horticulture/ food grain/oilseed crops)	Cleaner-cum-Grader Usage/Application - Cleaning Type Of Machines - Cleaning Machine Capacity - 50-150 Kg Per Hr Weight - 75 Kg Material - Mild steel	195000	50	40
	All types of Power driven Dehusker/sheller/Thresher/Harvester / De-spiking/ Deconing Machine/ Peeler/ Splitter / Stripper (for all types of horticulture / food grains/oilseed crops)	Operation Mode - AutomaticElectricity Connection - Three PhaseMotor Power - 3 HPMaterial of Construction - MSPower -3 KwhCapacity -100 - 1000 kgs / hrModel -Single discUsage/Application -Sunflower seed, millet, paddy, etcVoltage - 400-440 VDriven Type -electric motorFrequency -60 hzMachines Required -HuskerMaterial -Mild steel	625000	60	50
D	Other (Items supporting climate smart to				
1.	Solar fencing	Composite Fencing integrated with G.I. Wire Mesh of 1.20 rn height and Solar Electric Fencing of 0.60m height for the perimeter length of 200 meters, Number of wire rows/strands 3 number, spacing between wire rows abve wire mesh (0.15+0.15+0.30), Pole to pole distance 5 meter, Total Pole height 9above + below Ground level (2.25 m) (1.80+.45)	1530/ meter	70	70
2.	Plastic Mulch Laying Machine	Output Capacity - 1001 - 2000 kg/hr , Power -10-20 HP Speed - Upto 500 RPM Body Material - MS Automation Grade - Semi-Automatic Crop Type - Multi Crop	79000	50	40

APPLICATION FORM FOR GROUP BENEFICIARY

UNDER COMPONENT 2 OF THE PROJECT

INTEGRATED DEVELOPMENT PROJECT FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAIN FED AGRICULTURE (HPIDP)

То,							
	District Project Officer District Solan, Himach	,					
Subjec		To avail assistance under the Matching Grant Scheme (MGS) of Himachal Pradesh Integrated Development Project for Source Sustainability and Climate Resilient Rain Fed Agriculture.					
Sir/Ma	0						
We	Group (Sele	ect Type of Group: WUG/PG/FPC	O), Date of Formation of				
Group	and number of n	nembers in the group	intend to avail				
		ır farms/fields/Business Plan at vil					
		Distt(big					
	e of WUG/ PG that is WUG als		na kanar)				
We wi	Il bear percent of the total cost	from our own contributions. Furth	er, we (WUG) have				
deposi	ted in our group account an upf	Front share of 5% of the total cost of	of the assets towards O&M.				
In add	tion, we have also contributed DMIF account operated by our (equivalent to 1% of the total cost of	of asset/ works into the GP-				
01	We shall feel obliged it	f the assistance on the items mention	oned below along with the				
total e	stimated cost/s is granted to us.		Ç				
Sr. No	Item for which assistance required	Area (in Bighas) (Only for drip irrigation system, sprinklers, hose pipes & HDPE pipes)	Total cost of the item as per Indicative Price List (IPL)				
,							
irrigati	on equipment) the area (In Bigha						
	technical assistance for the abo		s/. No				
If "Y	es", specify what kind of technic	cal assistance is required and why?					

Office-be	earers of the Group			
Sr. No.	Name	Gender (M/F)	Contact Number	Designation
1				
2				
3				
4				
5				

Particulars of the PG/WUG (enclose self-attested copies of documents enlisted at Sr. No. 1 and 5; for Jamabandi, Sr. No. 2, enclose the copy attested by concerned revenue officer, enclose Signed copy of resolution & Business plan):

1. Bank Details
a. Name of Account holder
b. Aadhar linked Bank Account Number
c. Bank Name and Branch
d. IFSC Code
2. Khasra/ Jamabandi Number (with photocopy)
3. Resolution passed by the Group (signed by all members): Yes/ No
4. Female Members/ Total Members
5. Inclusion of Vulnerable HH in group (SC, ST, EWS, BPL): a) $< 50 \%$ Vulnerable HH members, b) $50 - 70 \%$ Vulnerable HH members, c) $> 70 \%$ Vulnerable HH members
6. Contiguity of members Land holding:
a. Total Land Area for Business Plan (Area in Bigha/ Kanal)
b. Compact land Holding (Area in Bigha/ Kanal)
c. Scattered land Holding (Area in Bigha/ Kanal)
7. Upfront contribution (PG/WUG in INR)
8. Number of members contributed upfront (PG/WUG)
9. Implementation time span of activity: a) > 1yr, b) 6m - 12 m, c) < 6m
10. Business plan (Y/N):
A detailed business plan with relevant information pertaining to how, where and when the
funds would be utilized, a detailed cost estimate, including the groups own contribution,

expected benefits, mechanism for benefit-sharing, alignment with project objectives and

Declaration

values, and O & M plan.

- 1. 1. We certify that the particulars furnished above by us are true to the best of our knowledge and believe that nothing has been concealed therein.
- 2. We give an undertaking to the effect that the Department or any other authorized agency shall have the right to inspect and/or audit the material/s purchased/ quality of the material and work done and all related records.
- 3. In case of miss-utilization or non-utilization of assistance in whole or part, we undertake to refund the amount of assistance granted to us in full or in lump-sum, along with the interest at the prevailing bank rates thereon, as agreed with the DPO in such an eventuality.
- 4. Yours faithfully,

Date and Place	Your's faithfully
	President (signature & name)
	Name of Group
	Certificate from Gram Panchayat
Tehsil	P.ODistt group of VillageP.O application is in accordance with the approved GPRMP. Thus, the ag assistance under the project.
	Signature with official stamp Pradhan Gram Panchayat
	For Office Use Only g with project proposal/relevant documents for assistance to the rwarded to District Project Officer for necessary action.
Comments of APO:-	
	Assistant Project Officer, Distt Himachal Pradesh

Approval of concerned DPO.

Recommendation of concerned DPO

Grant amount of INR (in words...) only, is hereby recommended in favor of (name of the WUG/PG), against Application No. . They have fulfilled the criteria according to the guidelines/instructions and norms of the Matching Grants Scheme under HPIDP. Comments from DPO

Distt	District Project Officer
	Himachal Pradesh

LIST OF ELIGIBLE PANCHYATS FOR AVAILING MATCHING GRANTS UNDER HPIDP

			CITELI	CIII IDI		
Sr. No		NAME OF UNIT	NAME OF (SUB)			NAME OF CONSTITUEN
	GP NAME	(CLUSTER)	CLUSTER	TEHSIL	BLOCK	CY
1	Parag	Kandaghat	I, Kandaghat	Solan	Solan	Solan
2	Seri	Kandaghat	I, Kandaghat	Solan	Solan	Solan
3	Nagali	Kandaghat	II,Chail	Kandaghat	Kandaghat	Solan
4	Chail	Kandaghat	II,Chail	Kandaghat	Kandaghat	Solan
5	Badhlog	Dharampur	I, Dharampur	Kasauli	Dharampur	Kasauli
6	Patta Nali	Dharampur	I, Dharampur	Baddi	Dharampur	Kasauli
7	Chamiyan	Dharampur	I, Dharampur	Kasauli	Dharampur	Kasauli
8	Ganol	Dharampur	I, Dharampur	Kasauli	Dharampur	Kasauli
9	Nahri	Dharampur	II, Dharampur	Kasauli	Dharampur	Kasauli
10	Jangeshu	Dharampur	II, Dharampur	Kasauli	Dharampur	Kasauli
11	Banasar	Dharampur	II, Dharampur	Kasauli	Dharampur	Kasauli
12	Naraini	Dharampur	II, Dharampur	Kasauli	Dharampur	Kasauli
13	Neri Kalan	Dharampur	II, Dharampur	Solan	Solan	Kasauli
14	Kaba kalan	Dharampur	II, Dharampur	Solan	Solan	Kasauli
15	Chammo	Dharampur	II, Dharampur	Kasauli	Dharampur	Kasauli
16	Dharmana	Ramshehar	Cluster I	Ramshehar	Nalagarh	Nalagarh
17	Dhakriana	Ramshehar	Cluster I	Kasauli	Dharampur	Kasauli
18	Nalka	Ramshehar	Cluster I	Baddi	Dharampur	Kasauli
19	Manlog Kalan	Ramshehar	Cluster II	Ramshehar	Nalagarh	Arki
20	Diggal	Ramshehar	Cluster II	Ramshehar	Nalagarh	Arki
21	Bhadokri	Ramshehar	Cluster II	Ramshehar	Nalagarh	Arki
22	Ghadsi	Ramshehar	Cluster II	Kasauli	Dharampur	Kasauli
23	Goyla	Ramshehar	Cluster II	Kasauli	Dharampur	Kasauli