


H.P. Forest Department INTEGRATED DEVELOPMENT PROJECT (IDP) For



District Project Officer, IDP Bilaspur email-dpoidpblp/a gmail.com

Type of Grant: Grants for Group Beneficiary (WUG/PG) and Individual Beneficiaries

Himachal Pradesh Integrated Development Project (HPIDP) has received a Grant from the World Bank and is inviting a request from eligible Group Beneficiary (WUG/ PG) and individual beneficiaries from various Gram Panchayats under HPIDP (hereinafter called "Applicant") for submission of application for only those items as per list attached under Matching Grant Scheme. The eligibility criteria, application Form etc are attached as per annexure. Applicant should send their applications to respective Assistant Project Officers (APO), HPIDP, Ghumarwin & Berthin or to DPO IDP Bilaspur as per schedule below:

Sr. No.	Particulars	I D
1	Last Date for submission of application	Date
2	Scratiny of eligibility by concerned APO and forwarding application to DPO, Bilaspur	^{31th} Dec ,2024 ^{5th} Jan ,2025
3	Technical and Financial assessment, Prioritization and budgeting, Announcement of Awardees by DPO	10th Jan ,2025
4	Execution of Grant agreement and Grant distribution	30th Jan 2025
5	Procurement of items, submission of bills	
5	Verification of asset, Receipt of Utilization Certificate (UC), Preparation of Grant Closure Report (GCR)	10th, Feb ,2025 15th ,Feb 2025

District Project Officer, Integrated Development Project, Bilaspur, Distt. Bilaspur (H.P.)

Dated, the/ 02-12-24

Endst - No.

Copy is forwarded to:

1. Pr. CCF-cum-Chief Project Director (IDP), Solan, HP for favour of information and n/action please.

2. All APOs for of information and wide publicity through news papers. They are directed to comply the. Instructions mentioned in the matching grant manual strictly.

> District Project Officer, Integrated Development Project, Bilaspur, Distt. Bilaspur (HP).

ELIGIBILITY CRITERIA FOR PARTICIPATING WUGs and PGs (WUGs/PGs)

To be eligible for consideration for receiving MG, WUG/PG under the window for groups should meet the following minimum criteria*:

- 1. Groups should be either formed or strengthened under the Project. Consideration will also be given to high potential groups not formed under the project, but which are operational in the project area, if the grant objective aligns with the PDO.
- 2. It should be functional, as certified by the local facilitating team (comprising front line
- 3. It should have at least 5 active members (not more than one member from any
- 4. Well function WUGs/ PGs will be considered for grants even if they have received
- 5. It should have an Aadhaar- linked bank account in a public sector bank, in the name of the WUG/PG with two/ three signatories, in case appropriate banking facilities are not available in the Panchayat area, the account maybe opened with any other bank operating in nearby area, with prior approval from the concerned DPO.
- 6. Each WUG will deposit in its own account an upfront share of 5% of the total cost of the assets towards O & M, in addition, groups will also contribute to the GP level OMIF account, equivalent to 1 % of the total cost of asset/ work granted.
- 7. Group will submit a business plan with detailed costing and specification for the use of
- 8. New applicants with strong proposals but who have not received any support will be
- It may be noted that application does not guarantee receipt of grant, there will be a process of evaluation and prioritization of applications before grantees are announced. Group Grants will range from INR 40,000 to INR 1,50,000 /- per group; on average, INR 3 lakhs is allocated per participating GP. all indicative Price of LIP will be valid up to 31 March 2025 same term and Conisations

CRITERIA FOR PRIORITIZATION OF APPLICATIONS FROMWUG/PGs

- Women/s Groups or groups led by women. 1. 2.
- Predominantly vulnerable HH members (> 70%) 3.
- Groups with member's land in contiguous patch. 4.
- More members having contributed upfront. 5.
- Clarity of costs, benefits and cost sharing norms among users, and between WUG and 6.
- Applications with plans which are better aligned with the project objectives. 7.
- Implementable in a shorter time span (6 months to 1 year receive highest priority).

ELIGIBILITY CRITERIA FOR PARTICIPATING INDIVIDUALS

To be eligible for applying for a MG under the window for individuals, a person should meet the

- 1. Ordinarily a resident of a GP included under the Project (male or female)
- 2. A farmer (own land, sharecropper, leased land etc.)
- 3. At least 18 years of age
- 4. Applicants should be able to produce evidence of land ownership, viz., Tatima, Jamabandi, Nakal, etc./Copy of lease agreement/ ownership of animals (Registration certificate)/any other certificate as per Government guidelines; such land should also be in possession of the
- 5. Aadhaar-linked bank account in a scheduled bank, held by the beneficiary. 6. Clear articulation of plan for use of grant money.
- 7. New applicants with strong proposals but who have not received any support will be
- It may be noted that application does not guarantee receipt of grant, there will be a process of evaluation and prioritization of applications before grantees are announced. Scale of Grant would be up to a maximum of INR. 30,000 /- per individuals. All indicative Price of list (IPL) will be valid

CRITERIA FOR PRIORITIZATION OF APPLICATIONS FROM INDIVIDUALS

- 1. Classified as vulnerable (per GPRMP)
- 2. Widow women
- Other Women applicants and beneficiaries
- 4. SC and ST applicants and beneficiaries
- 5. Economically Weaker Section (EWS)
- 6. Person having fallow arable land (Minimal Returns)
- 7. Households mentioned in Socio Economic and Caste Census (SECC) Report

CONTACT DETAILS OF OFFICIALS / OFFICERS FOR CLARIFICATION

1. Assistant Project Officer, IDP Ghumarwin Contract No. .82191 03584 2. Assistant Project Officer, IDP Berthin

Contract No. 85808 57286

LIST OF ELIGIBLE ITEMS / WORKS, INDICATIVE PRICE LIST (IPL) ANDPROJECT SHARE/ CONTRIBUTION

		ODS FOR WUGs and PGs (WUGs/PC	s) BENEFICE	ARIES	
Sr. 1	No Goods/Items (Specification attached)	Specification	Maximum admissible Rates in Rupe	Projec	t share in %
A	Irrigation S	upport (Sprinkle, Drip, Pipes & Pum		Vulne	rable Oth
1			ps etc.)		
1.	system	Type: Drip irrigation system with all fittings accessories for close space drops Coverag area:1bigha Spacing: 1.2mx0.6m (Later a Dripper) per bigha	e zzooo	80 %	80%
2.	Sprinkler irrigat system	irrigation system Coverage area:1bigha	2.000	80 %	80%
3, B	irrigation	Nominal Outside Diameter (D) IS: 14151:2008 19 mm, 13 mm, 25 mm, 38 mm, 50 mm	m.m.(19mm)15pr mm.(25mm)40 pr mm. (40mm)80pr mm (50mm) 90 rs	9r 9r 80 %	80%
1.7	Agriculture to	ools & equipment's/ machines (Auto)	per mm		
1.	Power Tiller		Tanc/Semi-aut	omatic)	
1000	(Below 8 HP/8 BHP and Above)	sessione accessories.	60000	50 %	40 %
2	Power Weeder	Type: Self Propelled Engine operated power Weeder. Power Source: Below 2 HP. Fuel: Petrol/Diesel	25000	50 %	40 %
3	Reaper cum Binde	Working caparty:6katha/hour and cutting	450000	50 %	40 %
4	Disc/MB Plough	Type: Single bottom fixed Power Source: 35Hp minimum Weight: 150 Kg		50 %	40 %
5	Cultivator	Type: Tractor drawn spring loaded cultivator, having iron frame and shovels. Standard 3-point linkage system. No. Of tynes: 6 Working width: 72 inches (approximate) Power Source: Tractor (25-35 HP)	45000	50 %	40 %
6	Harrow	Type: Disc harrow offset type. Disc blade: 7/ gang. Blade material: high carbon steel each having 2 Nos of standard bearing hubs. Hitching system: 3 point. Power Source:40-55 HP	****	50 %	40 %
7	Leveler Blade	Type: Land Levelier / Levelier Blade having 3 point hydraulic linkage Power Source: Tractor (25-45 PTO HP)		50 %	
3	Furrow Opener	Type: Furrow Opener / Ridger having 3 furrow Material: Made of 10-gauge sheet Power Source: 35hp minimum Weight: 175 Kg	*******		40 %
N	Reversible Mechanical Plough	Type of hitch attrochment/Linkage: 3-point linkage 3-point linkage Tractor power: required 35 hp to 40 hp Type MB Plough: Reversible type Mould Board used: Slat Mould Board Number of MB plough attached to Beam: 2 Working Depth control mechanism: Hydraulic Beam rotation control mechanism: Mechanical Working depth in inch: 10	5	50 % 50 %	40 %
C	Chisel Plough	Type: Single bottom fixed Power Source: 35Hp minimum Weight: 150 Kg			
		Sin Weight 150 Kg	5	0%	40 %

11	Strip Till Drill	Seed metering mechanism: External fluted seed rollers. Fertilizer metering mechanism: Gravity type with adjustable orifices & agitators. Power transmission: Chain and Sprocket drive. Furrow Opener: Invertors/reversible Number of flanges on the rotary: 9 Number of blades on each flange:6 or more (adjustable) Opening width of blade (mm): 75 Number of furrow opener: 11 (Adjustable) Seed and fertilizer box separate: Partition Source of power (hp/kW):35 HP or		50 %	40
12	Seed Drill	Type: 5-6 types Rigid Power Source 22 HP.35			*
		HP minimum Weight: 90-140 Kg Type: Tractor mounted Pneumatic multi crop	85381000	50 %	40 9
13	Multi Crop Plante	ground-nut etc. Power Source: Tractor (25-45 PTO HP). No. of rows: 4/5/6	650000	50 %	40 9
14	Turbo Seeder	Power source: 44-55 HP tractor with double clutch, Hitch Type: 3-point linkage (two lower & one upper) Row to row distance (minimum): 22.5 (20 to 22 cm) Number of row: 09-11 row (Adjustable) Type of furrow openers: Inverted T- type furrow opener. Rotor RPM: 1360 rpm at 540 rpm of tractor PTO Types of flail blades: Reversible straight gamma type. Minimum diameter of ground wheel: 550 mm or above Seed hopper for seeds: 190 to 200 cm long and 23-25 cm deep (approx.)		50 %	40 %
15	Happy Seeder	Power source: 44-55 HP tractor with double clutch, Hitch Type: 3-point linkage (two lower & one upper) Row to row distance (minimum): 22.5 (20 to 22 cm) Number of row: 09-11 row (Adjustable) Type of furrow openers: Inverted T- type furrow opener. Rotor RPM: 1360 rpm at 540 rpm of tractor PTO Types of flail blades: Reversible straight gamma type. Minimum diameter of ground wheel: 550 mm or above Seed hopper for seeds: 190 to 200 cm long and 23-25 cm deep (approx.)		50 %	40 %
16	Rotavator	Type: Tractor drawn, multispeed and side transmission Gear box. Number of blades: 16-36 Power Source: Tractor (15-30 HP)	80000	50 %	40 %
17	Potato Digger	Type: Tractor PTO operated Potato Digger elevator, Power Source: Tractor (35-45 PTO HP)	50000	50 %	40 %
18	Tractor Drawn Reaper	Type: Tractor front mounted or rear (offset type) mounted vertical reaper for harvesting and windrowing of paddy. Power Source: Tractor (35-45 PTO HP)	90000	50 %	40 %
19	Zero Till Seed Cum Fertilizer Drill	Type: Tractor drawn. Power Source: Tractor (35-45 PTO HP), No. Of rows: 9/11/13	******	50 %	40 %
20	Ridge Furrow Planter	Type: Furrow Opener / Ridger having 3 furrow Material: Made of 10-gauge sheet Power Source: 35hp minimum Weight: 175 Kg	********	50 %	40.%
21	Pneumatic Planter	Type: Tractor mounted Pneumatic multi crop planter to plant seeds of maize, mustard, ground-nut etc. Power Source: Tractor (25-45 PTO HP). No. of rows: 4/5/6	650000	50 %	40 %
22	Thresher	Type: Tractor PTO operated multi crop thresher for pulses, wheat, and mustard etc. Mounted on chassis with pneumatic wheels. Grain Loss: 0-5% Power Source: Tractor (25- 45 PTO HP).	45000	50 %	40 %

С		Post Harvest equipment (Post harvest	value chain Sup	port)	
1	Mini Rice Mill Type: Mini rice mill With Pre-Cleaner & Elevator, Power: 5-10 Hp Quantity: 2.0-5.0 q of paddy/hour		60	5	
.2	Dal Processor wit DE husker Blower, Pr Grader and Broken Seed	or more. Power Source: 2hp, (IHP+ 1 H motors) Capacity: 125 kg/hour	16000	60	. 50
3	Oil Mill with filte press (for all type of horticulture food grain/oilseed crops)	with filter press and oil pump including	175000	60	50
4	Vegetable Extractor	Material: Stainless steel Power: 2 HP and 1400 RPM Components; Water pump, starter, sieves for different seeds, seed collection tub Suitable for: Wet extraction		60	50
	Pomegranate Aril Extractor	Type: Pomegranate arils are passed through fine pulping screen 0.8 mm perforation Pulp/Pure juice discharge through discharge chute outlet. Electrical Power: 2 HP		60	50
19	Vacuum dehydration unit	Suction, Pump: Motorized Gear Type Capacity: 10 litter/minute suitable for the system		60	50
7	Packing Machines	Automation Grade: Automatic Filing Type: Cup Filler Power: 3 kW Sealing Type: Centre Seal Usage Machine Capacity: 30 Pouches/min Pouch Capacity: 10-50 grams Frequency: 50-60 Hz Voltage: 220 V Power Source: Electric	240000	60	50
	Industrial Steam Boiler	Material: Stainless Steel Capacity: 800kg/hr Working pressure: 10 kg/cm2g Machine Type: Semi-Automatic Phase: 3 Phase Voltage: 220-318 V Usage/Application: Milk Industry, Food Processing Industry Heating Power: 12-14 kW Frequency; 50-60 Hz	250000	60	50
	wasning	Type: Continuous type Capacity: 500 Kg/hr Power: 1800-watt Technology: Bubble Washing Suitable for: Any types of fruits and vegetables Automation Grade: Semi-Automatic Voltage: 220- 240V/50HZ Frame: Stainless steel	475000	. 60	50

10	Spices Grinder	Power Consumption: 2h.P-50 H.P Material: Mild Steel & Stainless-Steel Capacity: 20kg-400kg Per Hour Type: Fully Automatic Power: AC Voltage: 220 Volt/440 Volt Weight: 100kg-4ton		60	50
11	Cleaner-cum-	Driven Type: Motor & Pulley Motor Type: Single Phase Or Three Phase			
11	Grader	Capacity: 1-3 TPH Type: Semi- Automatic Power Source: Electric Voltage: 220-240V	280000	50	40
12	All types of Power driven DE husker	Capacity: 70kg/hr Electricity: 1kwh Single phase Power: 2 HP	450000	60	50
D	(Other (Items si	ipporting climate smart technology)		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1	Solar fencing	Maximum distance between 2 up			14
*		port posts 10 Mts. Maximum Distance between 2 intermediate posts-5 Mts. Maximum Distance between 2 Angle Iron Posts between two intermediated Posts-5 Mts. No. of strands -3 & 5 wires in vertical Height of fence above the ground-1.85m Total Pole Height (Above+Below Ground level: -2.45m. Spacing between two rows (Minimum 0.15m to maximum 0.30 m depend upon the type of animals in the areas). Provision for gates to be decided on site after visit of field Energizer capacity - 1 Energizer be installed with built in alarm system at every 2.		70	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5Km.System should ensure shock ability at the beginning and end of the fence. The ground to earth voltage must be not more than 200 volts. The supplier should provide operation and maintenance manual which should contain details about the solar power fencing: Clear instructions about the maintenance and troubleshooting, DO's and DONTs, relevant details and drawings for regular maintenance. The relevant test reports of the items, if available may also be enclosed. In case of composite fencing the height of G.L. Wire Mesh		70	70

		and angle iron should be 1.20m per demand of farmer	as		
	2 Plastic Mule Laying Machine	ch Type: Self propelled	100000	50	4
	4:5	II Goods for Individual Ber	eficiaries		-
A	Irrigation Sup	port (Sprinkle, Drip, Pipes & Pum			
1	Drip irrigation system	Type: Drip irrigation system with a fittings &accessories for close spac drops Coveragearea: I bigha Spacing: 1.2mx0.6m (Lateralx Dripper)	11 22500/24000	80	. 8
	2 Sprinkler Irrigation system 3 HDPF Pines for	Type: Sprinkler set for portable sprinkler irrigation system Coveragearea:1bigha	15000	80	8
	irrigation	Nominal Outside Diameter (D) 1S: 14151:2008 19 mm, 13 mm, 25 mm, 38 mm, 50 mm	(13 mm)12 Per m.m.(19mm)15per mm.(25mm)40 per mm. (40mm)80per mm. (50mm) 90 rs er mm	-254	80
	4 Hose Pipe	Nominal Outside Diameter (D) 1S: 14151:2008 19 mm, 13 mm	220/kg	50	40
	Solar Pump	Pressure: High-pressure Installation Type: Freestanding Monotypic Power:1HP Temperature:50Degree	60000	90	80
В	Agricultu	re tools & Equipment /Machines (Automatic/Semi	Automati	2)
1	Power Tiller (Below 8B HP)	Type: Below8HPwith cage wheel, standard outstand accessories.	60000	50	40
2	Power Weeder (Below2BHP)	Type: Self Propelled Engine operated power Weeder. Power Source: Below 2 HP. Fuel: Petrol/Diesel	25000	50	40
: 3	Reaper-cum- binder	Type: Reaper binder attached with7hpdieselenginessuitableforharvestin gwheatandrice.Workingcapacity:6katha/hourandcutting width.	450000	50	40
4	Knapsack Spray Pumps (Power- operated)	Type: Petrol engine operated power knapsacks prayer Tank capacity y(ltr):13-16Pressure chamber made of brass Spray Lance made of crass or stainless-steel.	21500	50	40
	Knapsack Spray Pumps (Battery - operated)	Type: Battery operated power knapsack sprayer Tank capacity (ltr):13-16 Pressure chamber made of brass Spray Lance made of crasser stainless steel:	3000	50	40
		Type: Self prop electrowon power weeder Engine: Petrol PowerSource:1to2HP	21000	±.50	40
8		Type: Rushcutters/slasher four stroke Petrol engine, PowerSource:1to2.0HP	20000	50	40

C	Minor Agricul	ture tools (Mechanical)				
I	Knapsack Spray Pumps (Manually)	Type: Manual Hand compression Knapsack Spray Tank capacity(ltr):13-16 Pressure chamber made of brass Spray Lance made of crass or stainless- steel.	1300	50	4	
2	Manually Operated Tool Kit	Items included Hand brake, Shovel, Spade, Sickle, Pickaxe, Weeds lasher,		50	4	
3	Drum Seeder	Power Source: Hand Operated Row to Row Spacing: 200 mm Number of Rows: 4RowsDiameter of the Seed Metering Hole:9mm	6000	50	4	
4	Seed treating drum	Type: Manually operatedSize:600x 350m.Shape: Cylindrical Body Material: Mild Steel Product Weight:25kg	18000	50	-4(
	Post Harve	est equipment and Machines (Post H	nt and Machines (Post Harvest/ Value Chain su		pport)	
1	Vegetable Crates	Weight: 1.5kg (min.) Dimensions:542Lx 360W x390H (OD)(+ /- 0.25 to0.5%)	500	50	40	
2	Kilta Baskets	Type: Made of virgin polymer .Height: Outer dimension 660mm- 670mm, innerdimension650mm-60mm (minimum). Diameter: Top outer 530mm -540mm, top inner 00mm-510mm. Diameter: Bottom (minimum) outer2 90mm-300mm, bottom inner 280mm-300mm(minimum). Safe for carry in fruit/vegetables.	600	50	40	
3	Maize Sheller	Type: Power operated maize sheller fitted with sing le phase electric motor. PowerSource: 1,0-2.2Kw Shelling efficiency (%):95ormore	19500	50	40	
4	All types of Solar Driers (for all Type of horticulture / food grain/ oil seeds rops) with floor area of about 400 to 1000 sq. feet.	Solarbatchdryersuitablefordryingtypeofhort iculture/foodgrain/oilseedscrops. Drying type: Direct heating capacity per batch with5 separate cabinets Max temperature 65-degree and min 5 degrees Celsius. Inner wall casing is made of Sor aluminum sheet with wooden frame. Tray with aluminum wire.		60	50	
5	Tarpaulin	Material: HDPE Thickness: 200GSMDimensions:15ftX18ft	2500	50	40	
6	Manual/Electric Chaff Cutter (1-2 HP	1- 2 HP electric motor (ISI Mark) along with pulley and wheel-belt, Wt. (approx.) – 80 Kg. • Mild Steel Handle with Wooden Grip, Diameter 15 mm, total length 500 mm, length of wooden grip 430-450mm. • Cutting Blades 2 to 3 Nos made from carbon Steel, which are adjustable. • Cutting Assembly – 2 Nos, cutting mouth made from cast iron. • Fly Wheel of V-Belt type 750-800 diameter, width 25mm with a circular hole of 10mm at the center to connect it to main shaft. • Worm gears should be 2 in number	22500 & 10500	- 50 - 4	50	

7 iii 1	Roof Rain Water Harvesting Tank (capacity, 9m)	(150 × 00 × 1 × 0)		50	50
iii	Vermi beds	III. Work for Individual Ben		50	50
	DOOD STANDARD CO.	100 300 0000000000	1.000	50	20
-07	HDPE	Material: HDPE Dimensions :12ftx4ftx2ft	4000	50	50
6	Solar light traps	Insect Type: Moth Material: Plastic Pest Control Type: Light Colour: Yellow	5000	50	40
5	Sticky traps	Insect Type: House flies, Moths Material: Plastic Pest Control Type: Pheromone Dimensions:6x8 inch Colour: Yellow	400	50	40
	. Heromone traps	Insect Type: Fruit Fly Trap Material: Plastic Pest Control Type: Pheromone	800	50	40
- 4	Winnowing Fan Pheromone traps	Type: Power operated Winnowing fan with aluminium blade, pulley, switch, wire, plugin, protective grill fitted PowerSource:0.5HPelectricmotor Type: Power operated maize sheller fitted with single phase electric motor.	3500	50	40
3	Mulching 'sheets	Type: UV stabilized polyethylene films for mulching sheetsThickness:100micron Colour: Black and whiteBreadth:120cm	250/kg	50	40
2	Seedling Trays (50 / 75 /90 Cavities)	Cavities, plastic tray easy to clean. Suitable for growing vegetable seedlings	100	50	40
1	Poly Tunnels	Size:3.6M3 Sheet:150Micron(mu)/600Gauge	5000	50	50
D		Other (Items Supporting climate s	mart Technolo	gy)	
	Manual Chaff Cutter	made from cast iron. Feeding trough should be attached on rea of shear plate with detachable provision. Chaff Cutting Capacity -: Electric - 200 to 250 Kg per hour All the rotating parts should be covered by safety guards. Manual Chaff Cutter Mild Steel Handle with Wooden Grip, Diameter 15 mm. total length 500 mm, length of wooden grip 430-450mm Fly Wheel of 840-900mm diameter, width 75mm, with a circular hole of 10mm at the center to connect it to main shaft Worm gears should be 2 in number, one located at upper side and one at lower side of worm. Feed Rollers should be 2 in number with length 207mm and diameter 85mm. rear of shear plate with detachable provision. Half of the trough shall be covered for safety. Stand should consist of four legs; leg support may be detachable. Chaff Cutting Capacity -: Manual - 100 to 150 Kg per Hour.			

3	Vermi composting Pit (15	(10ft x4 ft x2 ft)	As p	er -	50	50
4	Live Stock Manger	1.80x,1x1,20 m3	As po	er	50	50
5	Barbed Wire with U-nails Stapples for fencing	Galvanized Steel Barbed Wire for fencing (ISI marked) Coated as per IS: 4826_ 1978 12x14 SWG, 2 strands with 4 barbs 3" to 4', apaft without wooden spools conforming to ISI specification No 276-1976 (Resffirmed 2001) (with the Latest amendments) The Wire Size should be hot dipped galvanized coating as per. Mass of zinc coating as per IS-4226-1979 U-Nails Stapples for fencing the barbed wire of 4.064 mm.(8 SWG)Hot Dipped galvanized coating IS; 4826-1968 (with latest amendments)	71449/- Per (MT) GS extra 70449 /- Per (MT) GST extra	7	0	50

APPLICATION FORM FOR GROUP BENEFICIARY

UNDER COMPONENT 2 OF THE PROJECT

INTEGRATED DEVELOPMENT PROJECT FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAIN FED AGRICULTURE (HPIDP)

riculture, e bers in the group iness plan at village Distt, will bear percent of the total are of 5% of the total are IDP -OMIF accounts.	er the Matching Grant Schem t Project for Source Sustainal Group. Date of Formation intended to ava Himachal Pradesh. the total cost from our own cost cost towards O & M in our not operated by our GP matching grant is provided to below. Area (in bigha) (Only for	ne (MGS) of Himachal Pradesh bility and Climate Resilient Rain Fed and and assistance under HPIDP project for P.O Teh. Dontributions. Further we, agree to Group account, and an additional 2% o our group under the HPIDP, through
bers in the group iness plan at village Distt, will bear percent of the total are of 5% of the total are IDP -OMIF accounts and feel obliged if a per detail provided	Group. Date of Formation intended to available and the state of Formation intended to available and the state of Formation our own coal cost towards O & M in our not operated by our GP matching grant is provided to below. Area (in bigha) (Only for	of Group and an additional 2%
bers in the group iness plan at village Distt will bear percent of the total are of 5% of the total are IDP -OMIF accounts and feel obliged if a per detail provided	Group. Date of Formation intended to avail and a substitution of the state of Formation intended to avail cost from our own cost cost towards O & M in our not operated by our GP matching grant is provided to below. Area (in bigha) (Only for	and assistance under HPIDP project for P.O Teh. Description of Group and an additional 2%
bers in the group iness plan at village Distt will bear percent of the hare of 5% of the total at IDP -OMIF accounts and feel obliged if a per detail provided	intended to available intended to available intended to available intended in our own could cost towards O & M in our intended by our GP matching grant is provided to below. Area (in bigha) (Only for	ail assistance under HPIDP project for P.O, Teh. Dentributions. Further we, agree to Group account, and an additional 2%
iness plan at village Distt. Will bear percent of the total accounts of the total accounts and the percent of the percent of the total accounts and the percent of the pe	intended to available intended to available intended to available intended in our own could cost towards O & M in our intended by our GP matching grant is provided to below. Area (in bigha) (Only for	ail assistance under HPIDP project for P.O, Teh. Dentributions. Further we, agree to Group account, and an additional 2%
Distt is will bear percent of the hare of 5% of the total in IDP -OMIF accounts and feel obliged if a per detail provided	Himachal Pradesh. the total cost from our own cost cost towards O & M in our not operated by our GP matching grant is provided to below. Area (in bigha) (Only for	ontributions. Further we, agree to Group account, and an additional 2%
will bear percent of the total hare of 5% of the total le IDP –OMIF accounts hall feel obliged if a per detail provided	the total cost from our own cost cost towards O & M in our not operated by our GP	ontributions. Further we, agree to Group account, and an additional 2%
will bear percent of the total hare of 5% of the total le IDP –OMIF accounts hall feel obliged if a per detail provided	the total cost from our own cost cost towards O & M in our not operated by our GP	Group account, and an additional 2%
en assistant required	drip irrigation system	Total cost of the item as (per LIP)
	Sprinklers & HDPE Pipes	the item as (per LIP)
istance for the above-	mentioned item/items; -	Yes/ No
	istance for the above-	as drip irrigation system, Sprinklers & HDPE applicable istance for the above-mentioned item/items; - kind of technical assistance is required and why?

Office bearers of the Group

Sr. No.	Name	10-	
		Contact No.	Designation
0			
Additional informa	tion ran		

Additional information required from the PG/WUG, along with self attested photocopies:

Bank Details Name of Account holder	-ieu pii
Aadhar linked Bank Account Number	
Bank Name & Branch	
IFSC Code	
Khasra/ Jamabandi Number (with Photo copy)	**
Resolution passed by the C	

- 3. Resolution passed by the Group (signed by all members): Yes / No
- 4. Business Plan: A detailed business plan with relevant information pertaining to how, where and when the funds would be utilized, a detail cost estimate, including the groups own contribution, expected benefits and mechanism from benefit sharing.

Declaration

- We certify that the particulars furnished above by us are true to the best of my knowledge and believe that
- 2. We give an undertaking to the effect that the Department or any other authorized agency shall have the right to inspect that marginal, purchased/ quality of the material and work done and all related records.
- 3. In case of miss-utilization or non-utilization of assistance in whole or part, we undertake to refund the amount of assistance granted to me in full or in lump-sum, along with the interest at the prevailing bank rates, as agreed with the DPO in such an eventuality.

Yours's faithfully,

Date and Place

President (Signature and Name@

Certificate from Gram Panchayat

Certified that the members of		groups of village			
P.O	Teh	Distt	, Himachal	Pradesh are	
permanent resident of					
approved GPRMP . TI	hus, the case is recon	mended for obtaini	ng assistance un	der the HPIDP	
project.					
A-500				0	
-					
Signature with official	Stamp	Pradhan			
		Gram Pancha	The state of the s		
· ·		Name of Gran	n Panchyat		
Application (No.		fice Use Only proposal/relevant do	cuments for assis	tance to the	
extent of Rs.					
exicit of Rs.	is follwarded to Dis	ariet Project Officer	IOI HECE	ssary action.	
Comments of APO:-					
Comments of APO					
		Assistant Pro	ject Officer,		
34				Himachal Pradesh	
	Recommendation	on of concerned DP	<u>O</u> .		
Grant amount of Rs.	(in words) only is	
hereby recommended i	n favor of	. (na	ame of the WU		
Application No.					
lines/instructions and no	orms of the Matching C	irants under HPIDP	Project.		
Comments of DPO:-					
		Die	trict Project Off	ioar	
		Dis	tricit roject Off	icci,	

Integrated Development Project, Bilaspur, Distt. Bilaspur HP

Application Form for Individual Beneficiary

UNDER COMPONENT 2 OF THE PROJECT

INTEGRATED DEVELOPMENT PROJECT FOR SOURCE SUSTAINABILITY AND CLIMATE RESILIENT RAIN FED AGRICULTURE (HPIDP)

),-	AGRICU	LICKE (HPIDP)
	District Project Of Integrated Develop Bilaspur	ficer, oment Project,	
Sub	Dject: - To avail assistance Source Sustainabili	under Himachal Pradesh Integra ty and Climate Resilient Rain Fe	ted Development Project for
Sir,		- restricti Kain Fe	d Agriculture.
assis	I_stance under HPIDP project fo	W/o, D/o, S/o Sh r my field/farm at village	intended to avail
	Lob		
	Intaba) -F	Distt I land & (bigha in this matching grant manual	Limachal P. C.
stima	ated cost is granted to me.	the assistance on the Items ment	ioned below along with the
	Item for which assistance required	Area (in bigha) (Only for drip irrigation system, Sprinklers & HDPE Pipes ,Hose pipes & RRWHS individual)	Total cost of the item as per Indicative Price List (LIP)
	Item for which assistance required	Sprinklers & HDPE Pipes Hose pipes & RRWHS	Total cost of the item as per Indicative Price List (LIP)
Sr. No	Item for which assistance required	Sprinklers & HDPE Pipes Hose pipes & RRWHS	Total cost of the item as per Indicative Price List (LIP)
	Item for which assistance required	Sprinklers & HDPE Pipes Hose pipes & RRWHS	Total cost of the item as per Indicative Price List (LIP)
No	required	Sprinklers & HDPE Pipes ,Hose pipes & RRWHS individual)	
No	required	Sprinklers & HDPE Pipes ,Hose pipes & RRWHS individual)	mulcative Price List (LIP)

Particulars of the beneficiary (enclose self-attested copies of documents; for Jamabandi, copy to be

2 Phone No.	copy to be
2 Phone No.	
Adunar linked part	
4 Bank Name/Branch	
11 SC Code No	
Gaunar Card No.	
7 Khasra No. / Jamabandi	
8 Economically Weaker Section (Yes/ No)	
10 I have underes	
9 Land holding size (Marginal /small/semi -medium /medium/large) 10 I have undergone training at KVK/SAU/FFS/Filed day/other specific ag 11 Whether a part of water user group (WUG) formed under IDP(Y/N) 12 Whether applicant has received any grant under the matching grant b in a group (MOG)	
12 Whether applies a water user group (WUG) for	Pricultur.
Individual (V/N)	, rediture related training
13 Whether applicant to b in a group (V/N)	
12 Whether applicant has received any grant under the matching grant so in last 3-year Y/N) Declaration Description Des	neme of HPIDP A As an
Declaration Declaration	n+L
1 Leartie a	ther government scheme
I certify that the particulars for	- Include

- 1 I certify that the particulars furnished above by me are true to the best of my knowledge and
- 2 I give an undertaking to the effect that the Department or any other authorized agency shall have the right to inspect that marginal, purchased/quality of the material and work done.
- 3 In case of miss-utilization or non-utilization of assistance in whole or part, I undertake to refund the amount of assistance granted to me in full or in lump-sum, along with the interest at the prevailing bank rates, as agreed with the DPO in such an eventuality.

Date and Place

Yours's faithfully, Signature and Name

Certificate from Gram Panchayat

Certified that Sh./Smt.		W/o, D/o, S/o		
R/o	P.O_	Teh	4	Distt. ,
Himachal Pradesh a J	permanent resident of			eneral/Small& Marginal/
				ecommended for obtaining
assistance under the I				
		Pradhan Gram Panc	hayat	· ·
Application (No	For) along with proj	Office Use Only ect proposal/relevant of	docume	nts for assistance to the
				for necessary action.
			*	
Comments of APO: -				
			#	
		Assistant P Distt	roject (Him	Officer, pachal Pradesh
			S-12.40	
*	Approv	al of concerned DPO		
Subsidy amount of Rs	3.			only is
hereby approved/ sand				He
She has completely fu scheme under HPIDP	Ifilled the criteria acc Project.	ording to the guide lin	nes/instr	uctions and norms of the
Comments of DPO: -	*			
			Distri	ct Project Officer

District Project Officer, Integrated Development Bilaspur